

Treatment of Psychological Disorders

Chapter 14

Therapists

- Clinical psychologists
- Counseling psychologists
- Psychiatrists
- Psychiatric social workers
- Psychiatric nurses
- Counselors





Types of Treatment

- Insight therapy
- Behavior therapy
- Biomedical therapy

Psychoanalysis

Psychoanalysis

- Sigmund Freud
- Free association
- Dream analysis
- Resistance
- Transference
- Psychodynamic

Client-centered therapy

- Carl Rogers
- Therapeutic climate
- genuineness
- unconditional positive regard
- accurate empathy

Behavior therapy

- Systematic desensitization
- Aversion therapy
- Social skills training
- Cognitive therapy

Carl Rogers




An Anxiety Hierarchy for Systematic Desensitization

I'm standing on the balcony of the top floor of an apartment tower. I'm standing on a stepladder in the kitchen to change a light bulb. I'm walking on a ridge. The edge is hidden by shrubs and treetops. I'm sitting on the slope of a mountain, looking out over the horizon. I'm crossing a bridge 6 feet above a creek. The bridge consists of an 18-inch-wide board with a handrail on one side. I'm riding a ski lift 8 feet above the ground. I'm crossing a shallow, wide creek on an 18-inch-wide board, 3 feet above water level. I'm climbing a ladder outside the house to reach a second-story window. I'm pulling myself up a 30-degree wet, slippery slope on a steel cable. I'm scrambling up a rock, 8 feet high. I'm walking 10 feet on a resilient, 18-inch-wide board, which spans an 8-foot-deep gulch. I'm walking on a wide plateau, 2 feet from the edge of a cliff. I'm skiing an intermediate hill. The snow is packed. I'm walking over a railway trestle. I'm walking on the side of an embankment. The path slopes to the outside. I'm riding a chair lift 15 feet above the ground. I'm walking up a long, steep slope. I'm walking up (or down) a 15-degree slope on a 3-foot-wide trail. On one side of the trail the terrain drops down sharply; on the other side is a steep upward slope. I'm walking on a 3-foot-wide ridge. The slopes on both sides are long and more than I'm walking on a 3-foot-wide ridge. The trail slopes on one side. The drop on either side of the trail is more than 25 degrees.

Drug therapy

- Anti-anxiety drugs/tranquilizers
- valium, xanax
- Antipsychotic drugs
- Chlorpromazine/Thorazine, Haldol
- Atypical antipsychotics
- Clozapine



Drug Therapy (cont'd)

- Antidepressants
- tricyclics, MAO inhibitors
- Selective serotonin reuptake inhibitors
- prozac, zoloft, paxil, luvox, effexor
- Mood stabilizers
- Lithium

Electroconvulsive Therapy

Evaluating therapies

- Placebo effects
- Regression to the mean